Daniel J. Humiston, MD, FACC Stephanie L. Olsen, MD, FACC Eric N. Littlefield, PA-C Evan R. Law, PA-C Lorraine England, APRN



Scott West, MD, FACC Christopher Y. Kim, MD Bhavananda Reddy, MD Roja Mulamalla, MD Sandeep Talwar, MD Karri L. Hoyt, PA-C

### NUCLEAR STRESS TEST

DATE:

\_\_\_\_\_TIME: \_\_\_\_\_

## **LOCATION:** Utah Cardiology – 444 W. Bourne Circle, Farmington

# PHONE: (801) 776-0174

IF YOU ARE UNABLE TO KEEP THIS APPOINTMENT OR HAVE QUESTIONS, PLEASE CALL US <u>BEFORE 4:30PM</u> ON THE BUSINESS DAY BEFORE YOUR TEST.

#### PLEASE READ AND FOLLOW ALL LISTED BELOW:

- 1. Nothing to eat or drink after midnight.
- 2. **NO CAFFEINE** products **24 hours** prior to test (i.e. coffee, sodas, tea, chocolate, Fioricet, Anacin, Excedrin, etc.), or other items such as alcohol and cigarettes.
- 3. Wear comfortable clothes and walking shoes. Please no 1-piece dresses or jumper style suits.
- 4. Please **<u>DO NOT</u>** apply lotion to your chest the day of your test.
- 5. This test takes approximately <u>**3 hours**</u> to complete. <u>Family members or friends will not be allowed to</u> wait in the testing area.
- 6. Please **DO NOT** take your daily oral medications unless instructed otherwise by your doctor. Please **DO NOT** take Aminophylline or Theophylline within 24 hours of your test.
- 7. <u>Please do not take the following medications for 24 hours prior to your test</u>: Carvedilol (Coreg), Metoprolol (Toprol, Lopressor), Atenolol (Tenormin), Propanolol (Inderal), Timolol
- 8. Medications you **MAY** take morning of exam: Inhalers, chronic pain medications (Lortab, Morphine, Percocet etc). **DO NOT** take if they contain caffeine.

### FAILURE TO FOLLOW THE ABOVE INSTRUCTIONS MAY REQUIRE THAT WE RESCHEDULE YOUR TEST

